

T Musha	1144-	Soarch Toxt	DB	Time stamp
L Number	Hits 2		USPAT;	2003/11/13 19:13
_	, 2	, , ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	:
-	1866	(707/1).CCLS.	USPAT;	2002/10/16 17:55
1			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
	115	((707/1).CCLS.) and ship\$	USPAT;	2002/10/16 17:56
-	113	((/0//I).ccbs./ and shipp	US-PGPUB;	2002,20,20
			EPO; JPO;	
		·	DERWENT;	
1			IBM_TDB	
-	21		USPAT;	2002/10/16 17:57
1		and destination\$1	US-PGPUB;	
	1	•	EPO; JPO;	
ł			DERWENT; IBM TDB	
l <u>-</u>	17	((((((707/1).CCLS.) and ship\$) and rout\$3)	USPAT;	2002/10/16 17:57
	1'	and destination\$1) and pack\$	US-PGPUB;	, 10, 10 1, 10
			EPO; JPO;	
ĺ	1	· ·	DERWENT;	
			IBM_TDB	
-	17	(((((((707/1).CCLS.) and ship\$) and rout\$3)	USPAT;	2002/10/16 18:01
		and destination\$1) and pack\$) and	US-PGPUB;	
		information	EPO; JPO;	
			DERWENT; IBM TDB	
_	5	(((((((707/1).CCLS.) and ship\$) and	USPAT;	2002/10/16 18:02
 	1	rout\$3) and destination\$1) and pack\$) and	US-PGPUB;	
ĺ		information) and recipient	EPO; JPO;	
}	1	<u>-</u>	DERWENT;	
	1		IBM_TDB	
-	15		USPAT;	2002/10/16 18:02
		rout\$3) and destination\$1) and pack\$) and	US-PGPUB; EPO; JPO;	
· ·]	information) and memory	DERWENT;	
	-		IBM TDB	
-	1	((((((((((707/1).CCLS.) and ship\$) and	USPĀT;	2002/10/17 10:27
		rout\$3) and destination\$1) and pack\$) and	US-PGPUB;	
		information) and memory) and recipient)	EPO; JPO;	
		and intermediate	DERWENT;	
			IBM_TDB USPAT;	2003/11/12 10:16
-	4	(((((((((707/1).CCLS.) and ship\$) and rout\$3) and destination\$1) and pack\$) and	USPAT; US-PGPUB;	2003/11/13 19:16
		information) and memory) and recipient	EPO; JPO;	,
		· ·	DERWENT;	
	1		IBM_TDB	
-	61	(((707/1).CCLS.) and ship\$) and rout\$3	USPĀT;	2002/10/17 16:46
			US-PGPUB;	
			EPO; JPO;	
1		·	DERWENT; IBM TDB	
_	279	(track\$ and rout\$).ti.	USPAT;	2002/10/17 16:49
	"	, clocky and loady, el.	US-PGPUB;	
	1 .		EPO; JPO;	,
			DERWENT;	
			IBM_TDB	
-	0	((track\$ and rout\$) with item\$).ti.	USPAT;	2002/10/17 16:50
	1,		US-PGPUB;	
	_		EPO; JPO; DERWENT;	
	🤌		IBM TDB	
_	360	(ship\$ and track\$).ti.	USPAT;	2002/10/17 16:52
			US-PGPUB;	
			EPO; JPO;	ĺ
			DERWENT;	•
	<u> </u>		IBM TOB	

Search History 11/15/03 11:47:56 PM Page 1 C:\APPS\east\workspace\09675258.wsp





	1 222	Transport with two skill with suntant and	USPAT;	2003/11/13 19:15
-	173	(central\$ with track\$3 with system) and "central server"	US-PGPUB;	2003/11/13 19:13
			EPO; JPO;	
			DERWENT;	
	_	l	IBM_TDB	0000 /11 /14 17 30
-	0		USPAT;	2003/11/14 17:38
1		"central server") and ship\$4 and rout\$3 and destinations) and (multiple with	US-PGPUB; EPO; JPO;	
	1	"shipping companies")	DERWENT;	
	}	Shipping companies /	IBM TDB	
_	0		USPAT;	2003/11/13 19:22
}		"central server") and ship\$4 and rout\$3	US-PGPUB;	
		and destinations) and (multiple with	EPO; JPO;	İ
	i	shipping with compan\$3)	DERWENT;	
1_	30	(two or more) with "shipping companies"	IBM_TDB USPAT;	2003/11/13 19:23
-]	(two or more, with shipping companies	US-PGPUB;	2003/11/13 15:23
		· ·	EPO; JPO;	
1		•	DERWENT;	
			IBM_TDB	
-	43	(multiple with shipping with compan\$3) or	USPAT;	2003/11/13 21:04
	ļ	((two or more) with "shipping companies")	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	1	((multiple with shipping with compan\$3) or	USPĀT;	2003/11/13 19:25
		((two or more) with "shipping companies"))	US-PGPUB;	
		and (("most inexpensive" with rout\$3) or	EPO; JPO; DERWENT;	
		("least expensive" with rout\$3) or ("cost effective" with rout\$3))	IBM TDB	
_	1	((multiple with shipping with compan\$3) or	USPĀT;	2003/11/13 19:31
	-	((two or more) with "shipping companies"))	US-PGPUB;	
		and destination\$1 and "intermediate	EPO; JPO;	
		destinations"	DERWENT;	
	21	//1+:-1	IBM_TDB USPAT;	2003/11/13 19:31
-	21	<pre>((multiple with shipping with compan\$3) or ((two or more) with "shipping companies"))</pre>	US-PGPUB;	2003/11/13 19:31
		and destination\$1	EPO; JPO;	
]			DERWENT;	
	·		IBM_TDB	
-	14	multiple with shipping with compan\$3	USPAT; US-PGPUB;	2003/11/13 21:04
			EPO; JPO;	
	į		DERWENT;	
']		IBM_TDB	
-	43	((central\$ with track\$3 with system) and	USPĀT;	2003/11/14 10:03
		"central server") and ship\$4 and rout\$3	US-PGPUB;	
.i		and destinations	EPO; JPO; DERWENT;	
			IBM TDB	
-	58	central\$ adj2 tracking adj2 system	USPAT;	2003/11/14 10:28
			US-PGPUB;	
			EPO; JPO;	
		•	DERWENT; IBM TDB	
_	13	(central\$ adj2 tracking adj2 system) and	USPAT;	2003/11/14 10:23
<u> </u>		shipping	US-PGPUB;	
		•	EPO; JPO;	[
			DERWENT;	
_	اہ	//UE 225 042U\ DN \ and shimming	IBM_TDB USPAT;	2003/11/14 10:23
⁻	0	(("5,225,842").PN.) and shipping	USPAT; US-PGPUB;	2003/11/14 10:23
			EPO; JPO;	
]			DERWENT;	
]			IBM_TDB	L
-	. 2	("5,225,842").PN.	USPAT;	2003/11/14 10:23
			US-PGPUB; EPO; JPO;	
1			DERWENT;	
[IBM TDB	
·				





[-	0	(central\$ adj2 tracking adj2 system) and	USPAT;	2003/11/14 10:28
		(track with items) and (search with	US-PGPUB;	
		database)	EPO; JPO;	
		·	DERWENT;	
			IBM TDB	
-	45	(central\$ adj2 tracking adj2 system) not	USPAT;	2003/11/14 10:28
		((central\$ adj2 tracking adj2 system) and	US-PGPUB;	
		shipping)	EPO; JPO;	
ľ			DERWENT;	1 .
			IBM TDB	1
-	748	request with shipping	USPAT;	2003/11/14 17:39
	1		US-PGPUB;	ł ·
			EPO; JPO;	1
ļ			DERWENT;	
			IBM TDB	
_	0	(request with shipping) and (search with	USPAT;	2003/11/14 17:40
		"inexpensive routing")	US-PGPUB;	
		•	EPO; JPO;	
İ			DERWENT;	
	ŀ		IBM TDB	
_	0	(request with shipping) and (search with	USPAT;	2003/11/14 17:40
		inexpensive)	US-PGPUB;	
		•	EPO; JPO;	· ·
			DERWENT;	
			IBM TDB	1
-	189	(request with shipping) and (search with	USPĀT;	2003/11/14 17:40
		least expensive)	US-PGPUB;	}
			EPO; JPO;	
			DERWENT;	Į.
			IBM_TDB	1
-	1	(request with shipping) and (search with	USPAT;	2003/11/14 17:41
		"least expensive")	US-PGPUB;	1
		•	EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	